

PRODUCT WEIGHT (Lbs.)

(for shipping weight add 20% to product weight)

PART	5" Chimney				6" Chimney				8" Chimney				10" Chimney				12" Chimney				14" Chimney									
	Code	PS	C1	C2	C4	Code	PS	C1	C2	C4	Code	PS	C1	C2	C4	Code	PS	C1	C2	C4	Code	PS	C1	C2	C4	Code	PS	C1	C2	C4
Double Wall Pipe																														
60" Length	60	-	-	-	-	60	-	-	-	-	60	32	39	46	60	60	43	52	62	81	60	51	62	73	96	60	57	70	82	108
42" Length	42	-	-	-	-	42	17	21	24	32	42	23	28	33	43	42	31	38	45	59	42	36	44	52	68	42	40	49	58	76
30" Length	30	10	12	14	19	30	12	15	17	23	30	16	20	23	30	30	20	24	29	38	30	24	29	35	45	30	26	35	37	49
18" Length	18	6	7	9	11	18	7	9	10	13	18	9	11	13	17	18	12	15	17	23	18	15	18	22	28	18	17	21	24	32
Adjustable/Variable Pipe																														
30" Adjustable Pipe	AG30	13	16	19	25	AG30	16	20	23	30	AG30	20	24	29	38	AG30	25	31	36	47	AG30	29	35	42	55	AG30	33	40	48	62
18" Adjustable Pipe	AG18	7	9	10	13	AG18	11	13	16	21	AG18	13	16	19	25	AG18	16	20	23	30	AG18	20	24	29	38	AG18	22	27	32	42
Lined Bellows Joint	BJ	12	15	17	23	BJ	9	11	13	17	BJ	11	13	16	21	BJ	16	20	23	30	BJ	20	24	29	38	BJ	15	18	22	28
30" Variable Pipe	VL30	13	16	19	25	VL30	16	20	23	30	VL30	20	24	29	38	VL30	25	31	36	47	VL30	29	35	42	55	VL30	33	40	48	62
18" Variable Pipe	VL18	7	9	10	13	VL18	11	13	16	21	VL18	13	16	19	25	VL18	16	20	23	30	VL18	20	24	29	38	VL18	22	27	32	42
Double Wall Fittings																														
90° Tee	MT	6	7	9	11	MT	7	9	10	13	MT	10	12	14	19	MT	14	17	20	26	MT	18	22	26	34	MT	23	28	33	43
90° Tee -Grease	GMT	7	9	10	13	GMT	8	10	12	15	GMT	12	15	17	23	GMT	17	21	24	32	GMT	21	26	30	40	GMT	28	34	40	53
45° Tee Lateral	JL	10	12	14	19	JL	12	15	17	23	JL	17	21	24	32	JL	23	28	33	43	JL	31	38	45	59	JL	40	49	58	76
90° Wye	JY	5	6	7	9	JY	6	7	9	11	JY	8	10	12	15	JY	18	22	26	34	JY	20	24	29	38	JY	28	34	40	53
Drain Tee Cap	TC	1	1	1	2	TC	1	1	1	2	TC	2	2	3	4	TC	3	4	4	6	TC	3	4	4	6	TC	5	6	7	9
Cleanout Tee Cap	TCN	1	1	1	2	TCN	1	1	1	2	TCN	2	2	3	4	TCN	3	4	4	6	TCN	3	4	4	6	TCN	5	6	7	9
15° Elbow	EL15	8	10	12	15	EL15	9	11	13	17	EL15	10	12	14	19	EL15	13	16	19	25	EL15	16	20	23	30	EL15	16	20	23	30
30° Elbow	EL30	4	5	6	8	EL30	5	6	7	9	EL30	7	9	10	13	EL30	10	12	14	19	EL30	13	16	19	25	EL30	15	18	22	28
45° Elbow	EL45	6	7	9	11	EL45	7	9	10	13	EL45	10	12	14	19	EL45	13	16	19	25	EL45	17	21	24	32	EL45	20	24	29	38
90° Elbow	EL90	8	10	12	15	EL90	10	12	14	19	EL90	15	18	22	28	EL90	20	24	29	38	EL90	26	32	37	49	EL90	30	37	43	57
Tapered Increaser (2 Step)	OT	6	7	8	11	OT	7	9	10	13	OT	9	11	13	17	OT	10	12	14	19	OT	12	15	17	23	OT	16	20	23	30
Step Increaser (1 Step)	OS	3	4	4	6	OS	4	5	6	8	OS	5	6	7	9	OS	10	12	14	19	OS	13	16	19	25	OS	13	16	19	25
Drain Section	DS	5	6	7	9	DS	5	6	7	9	DS	7	9	10	13	DS	8	10	12	15	DS	10	12	14	19	DS	11	13	16	21
Support/Guide Accessories																														
Half Angle Ring	HR	2	2	3	3	HR	3	3	3	4	HR	3	3	4	4	HR	4	4	4	5	HR	4	4	5	6	HR	5	5	6	7
Full Angle Ring	FR	4	4	5	6	FR	5	5	6	6	FR	6	6	8	8	FR	6	6	8	9	FR	8	8	9	12	FR	9	9	12	13
Plate Support Assembly	PA	7	7	9	11	PA	9	9	11	15	PA	11	11	15	16	PA	15	15	16	19	PA	16	16	19	23	PA	19	19	23	25
Wall Support Assembly	WA	17	17	20	23	WA	20	20	23	27	WA	23	23	27	28	WA	27	27	28	31	WA	28	28	31	34	WA	31	31	34	38
Wall Guide Assembly	WG	17	17	21	23	WG	21	21	23	26	WG	23	23	26	27	WG	26	26	27	29	WG	27	27	29	32	WG	29	29	32	37
Floor Guide Assembly	FG	8	8	10	12	FG	10	10	12	13	FG	12	12	13	14	FG	13	13	14	18	FG	14	14	18	18	FG	18	18	18	21
Connection Accessories																														
Boiler Kit	BK	2	2	2	2	BK	2	2	2	2	BK	2	2	2	2	BK	2	2	2	2	BK	2	2	2	2	BK	2	2	2	2
Seal Ring	SR	1	1	1	1	SR	1	1	1	1	SR	2	2	2	2	SR	2	2	2	2	SR	2	2	2	2	SR	1	1	1	1
Flange Adapter	FD	5	6	7	9	FD	8	10	11	15	FD	10	12	14	19	FD	14	17	20	26	FD	22	27	32	42	FD	21	26	30	40
Clamp Flange	CF	2	2	3	4	CF	3	3	4	6	CF	4	4	6	6	CF	6	6	6	7	CF	6	6	7	8	CF	7	7	8	9
Flanged Hood Transition	TS	1	1	1	2	TS	1	1	1	2	TS	2	2	3	4	TS	2	2	3	4	TS	2	2	3	4	TS	2	2	3	4
Unflanged Hood Transition	TSU	1	1	1	2	TSU	1	1	1	2	TSU	2	2	3	4	TSU	2	2	3	4	TSU	2	2	3	4	TSU	2	2	3	4
Fan Adapter	FA	4	5	6	8	FA	5	6	7	9	FA	7	9	10	13	FA	12	15	17	23	FA	15	18	22	28	FA	18	22	26	34
Roof Penetrations																														
Storm Collar	SC	2	2	3	3	SC	3	6	3	3	SC	3	3	3	4	SC	3	3	4	4	SC	4	4	4	5	SC	4	4	5	5
Tall Flashing	TF	5	5	6	7	TF	6	6	7	8	TF	7	7	8	9	TF	8	8	9	10	TF	9	9	10	11	TF	10	10	11	12
Pitched Tall Flashing	PTF	6	6	7	8	PTF	7	7	8	9	PTF	8	8	9	10	PTF	9	9	10	11	PTF	10	10	11	12	PTF	11	11	12	13
Ventilated Thimble	THB	17	17	17	18	THB	17	10	18	25	THB	18	18	25	27	THB	25	25	27	30	THB	27	27	30	32	THB	30	30	32	34
Ventilated Tall Flashing	VTF	10	10	10	13	VTF	10	10	13	15	VTF	13	13	15	16	VTF	15	15	16	16	VTF	16	16	16	16	VTF	16	16	16	18
Ventilated Storm Collar	VSC	3	3	5	5	VSC	5	5	5	5	VSC	5	5	5	6	VSC	5	5	6	6	VSC	6	6	6	6	VSC	6	6	8	8
Ventilated Thimble Assembly	MVT	37	37	37	39	MVT	37	37	39	51	MVT	39	39	51	57	MVT	51	51	57	59	MVT	57	57	59	65	MVT	59	59	65	72
Ventilated Support Assembly	MRS	37	37	37	39	MRS	37	37	39	51	MRS	39	39	51	57	MRS	51	51	57	59	MRS	57	57	59	65	MRS	59	59	65	72
Pitched Thimble Assembly	PVT	41	41	41	43	PVT	41	41	43	56	PVT	43	43	56	63	PVT	56	56	63	65	PVT	63	63	65	72	PVT	65	65	72	79
Terminations																														
Closure Ring	CR	1	1	1	1	CR	1	1	1	2	CR	1	1	2	3	CR	2	2	3	3	CR	3	3	3	3	CR	3	3	3	3
Chimney Top	CT	3	-	-	-	CT	3	-	-	-	CT	5	-	-	-	CT	8	-	-	-	CT	12	-	-	-	CT	18	-	-	-
Stack Cap	SK	4	4	4	4	SK	4	4	4	4	SK	6	6	6	6	SK	9	9	9	9	SK	12	12	12	12	SK	15	15	15	15
Exit Cone	EC	1	1	1	2	EC	2	2	3	4	EC	4	6	6	8	EC	5	6	7	9	EC	9	11	13	17	EC	7	9	10	13
Flip Top	FL	3	3	3	3	FL	3	3	3	3	FL	8	8																	

PRODUCT WEIGHT (Lbs.)

(for shipping weight add 20% to product weight)

PART	16" Chimney				18" Chimney				20" Chimney				22" Chimney				24" Chimney				26" Chimney			
	Code	PS	C1	C2 C4	Code	PS	C1	C2 C4	Code	PS	C1	C2 C4	Code	PS	C1	C2 C4	Code	PS	C1	C2 C4	Code	PS	C1	C2 C4
Double Wall Pipe																								
60" Length	60	-	-	-	60	-	-	-	60	-	-	-	60	-	-	-	60	-	-	-	60	-	-	-
42" Length	42	46	56	66 87	42	51	62	73 96	42	57	70	82 108	42	62	76	89 117	42	67	82	96 127	42	73	89	105 -
30" Length	30	30	37	43 57	30	34	41	49 64	30	36	44	52 68	30	39	48	56 74	30	42	51	60 79	30	46	56	66 87
18" Length	18	18	22	26 34	18	20	24	29 38	18	24	29	35 45	18	26	32	37 49	18	27	53	39 51	18	30	37	43 57
Adjustable/Variable Pipe																								
30" Adjustable Pipe	AG30	36	44	52 68	AG30	40	49	58 76	AG30	44	54	63 83	AG30	51	62	73 96	AG30	53	65	76 100	AG30	56	68	81 106
18" Adjustable Pipe	AG18	24	29	35 45	AG18	26	32	37 49	AG18	29	35	42 55	AG18	33	40	48 62	AG18	36	44	52 68	AG18	38	46	55 72
Lined Bellows Joint	BJ	17	21	24 32	BJ	19	23	27 36	BJ	21	26	30 40	BJ	24	29	35 45	BJ	26	32	37 49	BJ	-	-	- -
30" Variable Pipe	VL30	36	44	52 68	VL30	40	49	58 76	VL30	40	54	63 83	VL30	51	62	73 96	VL30	53	65	76 100	VL30	56	68	81 106
18" Variable Pipe	VL18	24	29	35 45	VL18	26	32	37 49	VL18	29	35	42 55	VL18	33	40	48 62	VL18	36	44	52 68	VL18	38	46	55 72
Double Wall Fittings																								
90° Tee	MT	26	32	37 49	MT	32	39	46 60	MT	36	44	52 68	MT	49	60	71 93	MT	52	63	75 98	MT	62	76	89 117
90° Tee-Grease	GMT	33	40	48 62	GMT	40	49	58 76	GMT	46	56	66 87	GMT	60	73	86 113	GMT	64	78	92 121	GMT	75	92	108 142
45° Tee Lateral	JL	58	71	84 110	JL	63	77	91 119	JL	68	83	98 129	JL	79	96	114 149	JL	89	109	128 168	JL	112	137	161 212
90° Wye	JY	33	40	48 60	JY	43	52	62 81	JY	52	63	75 98	JY	62	76	89 117	JY	72	88	104 136	JY	82	100	118 155
Drain Tee Cap	TC	7	9	10 13	TC	8	10	12 15	TC	10	12	14 19	TC	11	13	16 21	TC	12	15	17 23	TC	13	16	19 25
Cleanout Tee Cap	TCN	7	9	10 13	TCN	8	10	12 15	TCN	10	12	14 19	TCN	11	13	16 21	TCN	12	15	17 23	TCN	13	16	19 25
15° Elbow	EL15	18	22	26 34	EL15	23	28	33 43	EL15	26	32	37 49	EL15	29	35	42 55	EL15	32	39	46 60	EL15	37	45	53 70
30° Elbow	EL30	17	21	24 32	EL30	20	24	29 38	EL30	28	34	40 53	EL30	32	39	46 60	EL30	33	40	48 62	EL30	38	46	55 72
45° Elbow	EL45	25	31	36 47	EL45	26	32	37 49	EL45	31	38	45 59	EL45	42	51	60 79	EL45	41	51	60 79	EL45	50	61	72 95
90° Elbow	EL90	38	46	55 72	EL90	39	48	56 74	EL90	47	57	68 89	EL90	54	66	78 102	EL90	63	77	91 119	EL90	75	92	108 142
Tapered Increaser (2 Step)	OT	16	20	23 30	OT	26	32	37 49	OT	32	39	46 60	OT	38	46	55 72	OT	43	53	62 81	OT	48	59	69 91
Step Increaser (1 Step)	OS	14	17	20 26	OS	16	20	23 30	OS	18	22	26 34	OS	44	54	63 83	OS	19	23	27 81	OS	20	24	29 38
Drain Section	DS	13	16	19 25	DS	13	16	19 25	DS	16	20	23 30	DS	17	21	24 32	DS	18	22	26 34	DS	20	24	29 38
Support/Guide Accessories																								
Half Angle Ring	HR	6	6	7 7	HR	7	7	7 8	HR	7	7	8 9	HR	8	8	9 9	HR	9	9	9 9	HR	9	9	9 9
Full Angle Ring	FR	12	12	13 14	FR	13	13	14 16	FR	14	14	16 18	FR	16	16	18 18	FR	18	18	18 18	FR	18	18	18 19
Plate Support Assembly	PA	23	23	25 28	PA	25	25	28 31	PA	28	28	31 35	PA	31	31	35 40	PA	35	35	40 42	PA	40	40	42 43
Wall Support Assembly	WA	34	34	38 41	WA	38	38	41 43	WA	41	41	43 45	WA	43	43	45 46	WA	45	45	46 48	WA	46	46	48 51
Wall Guide Assembly	WG	32	32	37 38	WG	37	37	38 38	WG	38	38	38 38	WG	38	38	38 38	WG	38	38	38 38	WG	38	38	39 39
Floor Guide Assembly	FG	18	18	21 23	FG	21	21	23 25	FG	23	25	25 28									FG	28	28	28 30
Connection Accessories																								
Boiler Kit	BK	2	2	2 2	BK	2	2	2 2	BK	2	2	2 2	BK	2	2	2 2	BK	2	2	2 2	BK	2	2	2 2
Seal Ring	SR	1	1	1 1	SR	4	4	4 4	SR	4	4	4 4	SR	4	4	4 4	SR	5	5	5 5	SR	5	5	5 5
Flange Adapter	FD	26	32	37 49	FD	34	41	49 64	FD	32	39	46 60	FD	38	46	55 72	FD	43	52	62 81	FD	47	57	68 89
Clamp Flange	CF	8	8	9 9	CF	9	9	9 10	CF	9	9	10 10	CF	10	10	10 11	CF	10	10	11 11	CF	11	11	11 11
Flanged Hood Transition	TS	2	2	3 4	TS	4	5	6 8	TS	4	5	6 8	TS	4	5	6 8	TS	5	6	7 9	TS	5	6	7 9
Unflanged Hood Transition	TSU	2	2	3 4	TSU	4	5	6 8	TSU	4	5	6 8	TSU	4	5	6 8	TSU	5	6	7 9	TSU	5	6	7 9
Fan Adapter	FA	21	26	30 40	FA	25	31	36 47	FA	31	38	45 59	FA	36	44	52 68	FA	40	49	58 76	FA	46	56	66 87
Roof Penetrations																								
Storm Collar	SC	5	5	5 5	SC	5	5	5 6	SC	5	5	6 6	SC	6	6	6 7	SC	6	6	7 7	SC	7	7	7 8
Tall Flashing	TF	11	11	12 13	TF	12	12	13 16	TF	13	13	16 19	TF	16	16	19 21	TF	19	19	21 22	TF	21	21	22 23
Pitched Tall Flashing	PTF	12	12	13 14	PTF	13	13	14 18	PTF	14	14	18 20	PTF	18	18	20 22	PTF	20	20	22 24	PTF	22	22	24 25
Ventilated Thimble	THB	32	32	34 36	THB	34	34	36 38	THB	36	36	38 40	THB	38	38	40 41	THB	40	40	41 42	THB	41	41	42 44
Ventilated Tall Flashing	VTF	16	16	18 18	VTF	18	18	18 20	VTF	18	18	20 20	VTF	20	20	22 26	VTF	22	22	26 28	VTF	26	26	28 30
Ventilated Storm Collar	VSC	8	8	8 8	VSC	8	8	8 9	VSC	8	8	9 9	VSC	9	9	9 11	VSC	9	9	11 11	VSC	11	11	11 12
Ventilated Thimble Assembly	MVT	65	65	72 73	MVT	72	72	73 82	MVT	73	75	82 89	MVT	82	82	89 92	MVT	89	89	92 96	MVT	92	92	96 100
Ventilated Support Assembly	MRS	65	65	72 73	MRS	72	72	73 82	MRS	73	75	82 89	MRS	82	82	89 92	MRS	89	89	92 96	MRS	92	92	96 100
Pitched Thimble Assembly	PVT	72	72	79 80	PVT	79	79	80 90	PVT	80	80	90 98	PVT	90	90	98 102	PVT	98	98	102 106	PVT	102	102	106 110
Terminations																								
Closure Ring	CR	3	3	3 3	CR	3	3	3 3	CR	3	3	3 3	CR	3	3	3 3	CR	3	3	3 3	CR	3	3	3 4
Chimney Top	CT	-	-	- -	CT	-	-	- -	CT	-	-	- -	CT	-	-	- -	CT	-	-	- -	CT	-	-	- -
Stack Cap	SK	19	19	19 19	SK	21	21	21 21	SK	27	27	27 27	SK	33	33	33 33	SK	40	40	40 40	SK	30	30	30 30
Exit Cone	EC	13	16	19 25	EC	13	16	19 25	EC	14	17	20 26	EC	16	20	23 30	EC	18	22	26 34	EC	26	32	37 49
Flip Top	FL	16	16	16 16	FL	18	18	18 18	FL	20	20	20 20	FL	22	22	22 22	FL	24	24	24 24	FL	26	26	26 26
Miter Cut	MC	15	15	15 15	MC	17	17	17 17	MC	20	20	20 20	MC	22	22	22 22	MC	24	24	24 24	MC	27	27	27 27
Miscellaneous																								
Guy Section	GS	49	60	71 93	GS	54	66	78 102	GS	62	76	89 117	GS	68	83	98 129	GS							

